

ad notam LCD SQ-SERIES

SQ 15.0"

MIRROR IMAGE® is the engine that drives images through glass and mirror to deliver superb picture quality. All products are German made, custom-engineered, LCD technology. They are exclusively designed to overcome the unique challenges of operating in ventilation deprived environments and to allow easy and adjustable mounting. The unique magnet mounting system accompanying all products is distinctively designed to suit all particularized placements behind any glass surfaces.

When combined with MAGIC MIRROR®, MIRROR IMAGE® turns completely invisible when turned off. MIRROR IMAGE® technology is patent protected.

The SQ LINE is the single input model for numerous applications. This line is a cost efficient alternative when required RGB inputs are predetermined for specific use, for example a computer or laptop source. In addition to excellent picture quality, the SQ LINE monitors offer very long lifetime, wide viewing angle, and compact size.



PRODUCT HIGHLIGHTS

- Flush fitted monitor
- Enhanced picture quality
- Low Voltage
- Doesn't require ventilation
- Sealed casing
- Ultra slim profile
- Magnetic mounting system allows for easy installation and removal
- LCD Technology
- Auto signal detection logic
- Optional RF remote control (no IR eye needed)
- DOG system architecture
- Adjustable mounting system for particularized placement


Article No.:

Screensize	Art.No.
15.0"	SQ 150-3

ad notam LCD SQ-SERIES

SQ 15.0"

Technical Datasheet:



ad notam LCD SQ-SERIES

SQ 15.0"

Screen technology:

Art.No. / Features	SQ 150-3
Display Type	TFT Thin Film Transistor
Active Screen Area	W x H 300 x 225 / 11,81" x 8,85" Diagonal 380 mm / 15"
Picture Format	4:3
Physical Resolution	1024 x 768
Viewing Angle	Horizontal 170 Vertical 170
Brightness	350 cd/m2
Contrast	static 500 : 1 dynamic
Response Time	12 ms
Inputs	RGB (VGA, SVGA, XGA, SXGA)
Video Signal Inputs	VGA
Operating Temperature	5 to 60 Celsius / 41 to 140 Fahrenheit
Power	DC 12V 29 W / 2400 mA
Weight	2,95 kg
Amplifier Output	-
Equalizer	-
Tuner Receiver	-
Tuner Channels	-
Receivable Tuner Channels	-
FM Radio	-
Image flip	-
Interactive Port RJ45	-
Remote Control Code	-

ad notam LCD SQ-SERIES

SQ 15.0"

Power supply:

Power	Voltage		Type	Operating Temperature
	IN	OUT		
90 – 264 Vac	70 W / 5,5 A	12 V DC	NE-T 70	0 - 40 °C

